EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	654	block\$5 with preview and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 10:57
\$2	10	block\$5 with preview and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @flad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 10:58
83	18	preview pane and (Junk or spam) and (@pdc="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09
S 4	23	"6941467"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 11:16
S5	23	10/094211	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 11:16
S9	0	block\$5 with text filter and (junk or spam) and (@pd<= "20040312" or @ad<= "20040312" or @rlad<= "20040312" or @prad<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:39
S10	0	block\$5 same text filter and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @tlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:39
S11	10	block\$5 and text filter and (junk or spam) and (@pd<= "20040312" or @ad<= "20040312" or @flad<= "20040312" or @prad<= "20040312" or @prad<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:40

S12	0	text replacement and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:40
S13	239	text replacement and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:40
S14	0	text with replac\$5 (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:41
S15	111	text with replac\$5 and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:41
S16	71	text near4 replac\$5 and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:41
S17	0	text near4 censor\$5 and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:42
S18	6	text same censor\$5 and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:42
S19	29	text with censor\$5 and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:54
\$20	0	text with censor\$5 and (junk or spam) (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM TDB	ADJ	000	2008/07/09 17:55

S21	0	text with censor\$5 and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @riad<="20040312" or @riad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:55
S22	4	text filter and censor\$5 and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rrad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/09 17:57
\$23	526058	(partial\$5 or portion or piece or some) with (block\$4 or censor \$4) and (@pd<="20040312" or @ad<="20040312" or @ilad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 14:05
\$24	414	(partial\$5 or portion or piece or some) with (block\$4 or censor \$4\) same (s\$mail or junk) and ((\$\text{ord} \cdot = "20040312" or (\$\text{ord} \cdot = "20040312" or (\$\text{ord} \cdot = "20040312" or (\$\text{ord} \cdot = "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 14:11
\$25	1	e\$mail with profanity filter and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rrad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 14:13
S26	2	e\$mail same profanity filter and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 14:13
S27	22	e\$mail with profanity and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 14:14
\$28	2	"20050097179"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 15:18
S29	25	(gregory and orme) in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 15:32

S30	39	preview pane same (censor\$4 or block\$4 or filter\$4) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/11 15:46
S31	20	preview pane same (censor\$4 or block\$4) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	STON STONE S	2008/11/11 15:46
S32	1	(partially censor) same (e\$mail or message) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NON	2008/11/11 15:48
S33	63	(partially (censor or block)) same (e\$mail or message) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/11 15:49
S34	29	(partially (censor or block or filter)) with (e\$mail or message) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 15:53
\$35	337	(partial\$5 or portion or piece or some or part or selectiv\$4) with (block\$4 or censor\$4) with (e \$mail or junk or spam) and (c@d="20040312" or @ed="20040312" or @rd="20040312" or @grad="20040312" or @grad="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OR The second se	2008/11/11 15:58
S3 6	6	spam with preview and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NON	2008/11/11 16:05
S37	123	(partially with (view or display or show)) same (spam or junk or e \$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:15

S38	33	(partially near3 (view or display or show)) same (spam or junk or e\$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/11 16:15
S39	165	(selectively with (view or display or show)) same (spam or junk or s\$mail) and (@pd<="20040312" or @ad<="20040312" or @id=c="20040312" or @pd=d=="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	00 00	2008/11/11 16:20
S40	20	preview pane and (spam or junk) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON The state of th	2008/11/11 16:22
S41	19	(partial\$5 or portion or piece or some or part or selectiv\$4\) with (block\$4 or censor\$4\) with (e \$mail or junk or spam) with view \$4 and (@pode = "20040312" or @ad<="20040312" or @riad="20040312" or @grad=="20040312" or @prad=="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	00 00 00 00 00 00 00 00 00 00 00 00 00	2008/11/11
S42	10619	(block\$4 or censor\$4) with undesirable and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:37
S43	74	partially near3 (block\$4 or censor \$4) with undesirable and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	William Willia	2008/11/11 16:37
S46	56	(block\$4 or censor\$4) with undesirable and (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:39
S47	0	\$4) same (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:40

S48	7	censor\$4 same (junk or spam) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:40
S49	39	(strip or filter) with images same (spam or junk) and (@pd<= "20040312" or @ad<= "20040312" or @rlad<= "20040312" or @prad<= "20040312" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:45
S50	9	(strip or remove) with images same (spam or junk) and (@pd<= "20040312" or @ad<= "20040312" or @flad<= "20040312" or @prad<= "20040312" or @prad<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:51
S51	0	censor\$4 with (display\$4 or view \$4) same (e\$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:52
S52	35	display images below and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:54
S53	27	display with image with option same e\$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:55
S54	40	(partial\$4 or portion\$4) with (display or view) with (spam or junk) and (@pd<="20040312" or @ad<="20040312" or @rad<="20040312" or @rad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 16:59
S55	492	(partial\$4 or portion\$4) with (display or view) with (e\$mail) and (@pd<="20040312" or @ad<="20040312" or @irlad<="20040312" or @grad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:03
S56	49	(partial\$4 or portion\$4) with (display or view) with (e\$mail) and (@pd-e"20040312" or @ed-e"20040312" or @rd-e"20040312" or @prad-e"20040312" or @prad-e"20040312") and (junk or spam)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:04

S57	103	(partial\$4 or portion\$4) with (display or view) with (6\$mail) and (@pdc ="20040312" or @adc = "20040312" or @glad = "20040312" or @prad<="20040312") and (junk or spam or undesirable or offensive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	<u> </u>	2008/11/11 17:04
S58	14	(display or view) with (offensive or undesirable) with (e\$mail) and (@pd<="20040312" or @ad<="20040312" or @flad<="20040312" or @prad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON .	2008/11/11 17:14
S59	1	partially with (offensive or undesirable) with (e\$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/11 17:24
S60	1	partial\$4 with (offensive or undesirable) with (e\$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:24
S61	0	partial\$4 with obscure with (e \$mail) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:24
S62	1809	partial\$4 with obscure and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	ADJ	ON	2008/11/11 17:24
S63	0	partial\$4 with obscure same e \$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:25
S64	106	block with portion with e\$mail and (@pd<="20040312" or @ad<="20040312" or @riad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:26
S65	4	prevent\$4 with image\$4 with display with e\$mail and (@pd<= "20040312" or @ad<= "20040312" or @flad<= "20040312" or @prad<= "20040312" or @prad<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/11 17:28

S69	0	prevent\$4 with (offensive or undesirable or profainty or pornography or inappropriate or vulgar) with display same e\$mail and (@pd-e "20040312" or @ad<="20040312" or @flad=="20040312" or @flad=="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	<u> </u>	2008/11/11 17:30
S70	11	prevent\$4 with (offensive or undesirable or profamily or pornography or inappropriate or vulgar) with display and e\$mail and (@pdc ="20040312" or @ad<="20040312" or @ad<="20040312" or @prad<="20040312" or @prad<="20040312")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	Nonemannamannamannamannamannamannamannama	2008/11/11 17:30
S71	128	(offensive or undesirable or profailty or prongraphy or inapproject or vulgar) with (display\$3 or view\$4 or show\$4 or present\$4) same e\$mail and (l@pdc="20040312" or @adc="20040312" or @pradc="20040312" or @pradc="20040312" or @pradc="20040312" or @pradc="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB	ADJ	O V	2008/11/11 17:32
S72	0	child filter same e\$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:39
S73	15	child with filter same e\$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:39
S74	33	censor\$5 same e\$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:44
S75	14	censor\$5 with e\$mail and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:44
S76	16	censor\$5 with e\$1mail\$2 and (@pd<="20040312" or @ad<="20040312" or @riad<="20040312" or @riad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:48

S77	2	censor\$5 with e\$1mail\$2 and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312" or @prad<="20040312") not \$75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/11 17:48
S78	8	partially near4 (censor\$5 or block \$4) with \$1 mail\$2 and (@pd<="20040312" or @ad<="20040312" or @tlad<="20040312" or @prad<="20040312") not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	00 00 00 00 00 00 00 00 00 00 00 00 00	2008/11/11 17:49
S79	636	display near4 image with e\$1mail \$2 and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312") not \$75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:55
S80	5	prevent\$4 with (display\$4 near4 imag\$4) with e\$1mai\$2 and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @rlad<="20040312" or @prad<="20040312") not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 17:56
S81	8	(offensive or undesirable or profanity or pornography or inappropriate or vulgar) with (display\$3 or view\$4 or show\$4 or present\$4) same e\$1 mail\$2 and (@pdc = "20040312" or @ad<= "20040312" or @dlad = "20040312" or @grad<= "20040312" or @grad<= "20040312") not \$71	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OX	2008/11/11
S82	1556	e\$1mail\$2 and (child\$4 with (protect\$5 or filter\$5 or censor \$5 or block\$4 or prevent\$5)) and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 09:36
S83	617	e\$1 mail\$2 and (child\$4 with (protect\$5 or filter\$5 or censor \$5 or block\$4 or prevent\$5)) and (junk or spam or inappropriate or offensive or undesirable) and (@pct = "20040312" or @ad< = "20040312" or @grad < = "20040312" or @grad < = "20040312" or @grad < = "20040312" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/12 09:37

S84	40	e\$1mail\$2 same (child\$4 with (protect\$5 or filter\$5 or censor \$5 or block\$4 or prevent\$55)) same (Junk or spam or inappropriate or offensive or undesirable) and (@pde = "20040312" or @ad< = "20040312" or @grad< = "20040312")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/11/12 09:39
S85	176	e\$1mail\$2 same (profanity or inappropriate or pornography or sex or oftensive or undesirable) with (protect\$5 or filter\$5 or censor\$5 or block\$4 or prevent \$5) and (junk or spam) and (@pde="20040312" or @ad<="20040312" or @riad<="20040312" or @prad<="20040312")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	8	2008/11/12 10:09
S86	24	e\$1 mail\$2 same (profanity or inappropriate or pornography or sex or offensive or undesirable) with (protect\$5 or filter\$5 or censor\$5 or block\$4 or prevent \$5) same (some or portion or partial\$4 or part or piece) and ((pndc = "20040312" or @ad<= "20040312" or @grad<= "20040312" or @grad<= "20040312" or @grad<= "20040312" or @grad<= "20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 10:15
\$87	3	(partial\$4 or portion\$4) same (censor\$4 or block\$4) same preview and (@cd<="20040312" or @ad<="20040312" or @grad<="20040312" or @grad<="20040312") and (junk or spam)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 10:54
S88	20	(censor\$4 or block\$4) same preview and (@pd<="20040312" or @ad<="20040312" or @rlad<="20040312" or @pad<="20040312" or @pad<="20040312" or @pad<="20040312") and (junk or spam	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/12 10:55
S89	171	remov\$4 with e\$1mail\$2 with imag\$4 and (@pd<="20040312" or @ad<="20040311" or @rad<="20040312" or @rad<="20040312" or @prad<="20040312")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NON NON THE PROPERTY OF THE PR	2008/11/12 11:02

S90	2	"20050204005"	US-PGPUB;	ADJ	ON	2008/11/12	
			USPAT;		1	12:34	9
			USOCR; FPRS;				
			EPO; JPO;				-
			DERWENT;				1
			IBM_TDB				-

11/12/2008 7:17:59 PM

C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10799455J.wsp